



## **SpringWorks Therapeutics Announces Late-Breaking Oral Presentation of Phase 3 DeFi Data at the European Society for Medical Oncology (ESMO) Congress 2022**

*– Data from the Phase 3 DeFi Trial Evaluating Nirogacestat in Adults with Progressing Desmoid Tumors to be Presented in an Oral Presentation on Saturday, September 10 (16:55 CEST; 10:55 a.m. ET) –*

**STAMFORD, Conn., August 19, 2022** – SpringWorks Therapeutics, Inc. (Nasdaq: SWTX), a clinical-stage biopharmaceutical company focused on developing life-changing medicines for patients with severe rare diseases and cancer, today announced that data from the Phase 3 DeFi trial of nirogacestat, an investigational oral gamma secretase inhibitor, in adult patients with progressing desmoid tumors, will be presented as a late-breaking oral presentation at the European Society for Medical Oncology (ESMO) Congress 2022. The abstract is expected to be published online via the ESMO website on September 8, 2022 (12:05 a.m. CEST; 6:05 p.m. ET on September 7).

“We are very pleased that the DeFi trial was selected as a late-breaking oral presentation at ESMO,” said Saqib Islam, Chief Executive Officer of SpringWorks. “We look forward to sharing the detailed DeFi results at the conference and to filing our NDA before the end of the year, which will be reviewed under the FDA’s Real-Time Oncology Review program.”

### **ESMO Oral Presentation Details**

**Title:** DeFi: A Phase 3, Randomized Controlled Trial of Nirogacestat Versus Placebo for Progressing Desmoid Tumors (DT)

**Presentation Number:** LBA2

**Presenter:** Bernd Kasper, M.D., Ph.D., University of Heidelberg, Mannheim University Medical Center, Mannheim Cancer Center, Sarcoma Unit, Mannheim, Germany

**Session/Type:** Presidential Symposium 1, Proffered Paper Session

**Date:** Saturday, September 10, 2022

**Time:** 16:55 - 17:10 CEST (10:55-11:10 a.m. ET)

SpringWorks will host a conference call to discuss the DeFi data and next steps on the program (details to follow).

### **About the DeFi Trial**

DeFi (NCT03785964) is an ongoing, global, randomized (1:1), double-blind, placebo-controlled Phase 3 trial evaluating the efficacy, safety and tolerability of nirogacestat in adult patients with progressing desmoid tumors. The study randomized 142 patients to receive 150 mg of nirogacestat or placebo twice daily. Key eligibility criteria included tumor progression by >20% as measured by Response Evaluation Criteria in Solid Tumors (RECIST 1.1) within 12 months

prior to the first dose of study treatment. The primary endpoint is progression-free survival, as assessed by blinded independent central review. Secondary and exploratory endpoints include safety and tolerability measures, objective response rate (ORR), duration of response, changes in tumor volume assessed by magnetic resonance imaging (MRI), and changes in patient-reported outcomes (PROs).

## **About Desmoid Tumors**

Desmoid tumors are rare, aggressive, locally invasive, and potentially morbid tumors of the soft tissues.<sup>1,2</sup> While they do not metastasize, desmoid tumors are associated with a high rate of recurrence.<sup>2,3,4</sup> Sometimes referred to as aggressive fibromatosis, or desmoid fibromatosis, these soft tissue tumors can be serious, debilitating, and, in rare cases when vital organs are impacted, they can be life-threatening.<sup>2,5</sup>

Desmoid tumors are most commonly diagnosed in patients between the ages of 20 and 44 years, with a two-to-three times higher prevalence in females.<sup>4,6,7,8</sup> It is estimated that there are 1,000-1,650 new cases diagnosed per year in the United States.<sup>7,8,9</sup>

Historically, desmoid tumors were treated with surgical resection, but this approach has become less favored due to a high recurrence rate after surgery.<sup>1,4,10</sup> There are currently no FDA-approved therapies for the treatment of desmoid tumors.

## **About Nirogacestat**

Nirogacestat is an investigational, oral, selective, small molecule gamma secretase inhibitor in Phase 3 clinical development for desmoid tumors, which are rare and often debilitating and disfiguring soft-tissue tumors. Gamma secretase cleaves multiple transmembrane protein complexes, including Notch, which is believed to play a role in activating pathways that contribute to desmoid tumor growth.

In addition, gamma secretase has been shown to directly cleave membrane-bound B cell maturation antigen (BCMA), resulting in the release of the BCMA extracellular domain, or ECD, from the cell surface. By inhibiting gamma secretase, membrane-bound BCMA can be preserved, increasing target density while reducing levels of soluble BCMA ECD, which may serve as decoy receptors for BCMA-directed therapies. Nirogacestat's ability to enhance the activity of BCMA-directed therapies has been observed in preclinical models of multiple myeloma. SpringWorks is evaluating nirogacestat as a BCMA potentiator and has eight collaborations with industry-leading BCMA developers to evaluate nirogacestat in combinations across modalities, including with an antibody-drug conjugate, two CAR T cell therapies, three bispecific antibodies and a monoclonal antibody. SpringWorks has also formed research collaborations with Fred Hutchinson Cancer Research Center and Dana-Farber Cancer Institute to further characterize the ability of nirogacestat to modulate BCMA and potentiate BCMA-directed therapies using a variety of preclinical multiple myeloma models.

Nirogacestat has received Orphan Drug Designation from the U.S. Food and Drug Administration (FDA) for the treatment of desmoid tumors and from the European Commission for the treatment of soft tissue sarcoma. The FDA also granted Fast Track and Breakthrough

Therapy Designations for the treatment of adult patients with progressive, unresectable, recurrent or refractory desmoid tumors or deep fibromatosis. SpringWorks plans to submit a New Drug Application (NDA) to the FDA in the second half of 2022, which will be reviewed under the FDA's Real-Time Oncology Review (RTOR) program.

## **About SpringWorks Therapeutics**

SpringWorks is a clinical-stage biopharmaceutical company applying a precision medicine approach to acquiring, developing and commercializing life-changing medicines for patients living with severe rare diseases and cancer. SpringWorks has a differentiated targeted oncology pipeline spanning solid tumors and hematological cancers, including two potentially registrational clinical trials in rare tumor types as well as several programs addressing highly prevalent, genetically defined cancers. SpringWorks' strategic approach and operational excellence in clinical development have enabled it to rapidly advance its two lead product candidates into late-stage clinical trials while simultaneously entering into multiple shared-value partnerships with innovators in industry and academia to unlock the full potential for its portfolio and create more solutions for patients with cancer. For more information, visit [www.springworkstx.com](http://www.springworkstx.com) and follow @SpringWorksTx on [Twitter](#) and [LinkedIn](#).

## **SpringWorks Forward-Looking Statements**

*This press release contains "forward-looking statements" within the meaning of the Private Securities Litigation Reform Act of 1995, as amended, relating to our business, operations, and financial conditions, including, but not limited to, current beliefs, expectations and assumptions regarding the future of our business, future plans and strategies, our development plans, our preclinical and clinical results, our plans to report additional data from the Phase 3 DeFi clinical trial at an upcoming medical conference, the potential for the results of the Phase 3 DeFi clinical trial to support an NDA submission, the timing of our planned NDA submission for nirogacestat, and our plans for seeking regulatory approval for and making nirogacestat available to desmoid tumor patients, if approved, as well as relating to other future conditions. Words such as, but not limited to, "look forward to," "believe," "expect," "anticipate," "estimate," "intend," "plan," "would," "should" and "could," and similar expressions or words, identify forward-looking statements. New risks and uncertainties may emerge from time to time, and it is not possible to predict all risks and uncertainties. Any forward-looking statements in this press release are based on management's current expectations and beliefs and are subject to a number of risks, uncertainties and important factors that may cause actual events or results to differ materially from those expressed or implied by any forward-looking statements contained in this press release, including, without limitation, risks relating to: (i) the success and timing of our product development activities, including the initiation and completion of SpringWorks' clinical trials, (ii) the fact that topline data from the Phase 3 DeFi trial or topline or interim data from other clinical studies may not be predictive of the final or more detailed results of such study, or the results of other ongoing or future studies, (iii) the success and timing of our collaboration partners' ongoing and planned clinical trials, (iv) the timing of our planned regulatory submissions and interactions, including the NDA for nirogacestat planned for the second half of 2022 and the timing and outcome of decisions made by the U.S. Food and Drug Administration (FDA) and other regulatory authorities, investigational review boards at clinical trial sites and publication review bodies; (v) whether FDA or other regulatory authorities will require additional information*

*or further studies, or may fail or refuse to approve or may delay approval of our drug candidates, including nirogacestat and mirdametinib, (vi) our ability to obtain and maintain regulatory approval of any of our product candidates, (vii) our plans to research, discover and develop additional product candidates, (viii) our ability to enter into collaborations for the development of new product candidates, (ix) our ability to establish manufacturing capabilities, and our and our collaboration partners' abilities to manufacture our product candidates and scale production, (x) our ability to meet any specific milestones set forth herein, and (xi) uncertainties and assumptions regarding the impact of the COVID-19 pandemic on SpringWorks' business, operations, clinical trials, supply chain, strategy, goals and anticipated timelines.*

*Except as required by applicable law, we do not plan to publicly update or revise any forward-looking statements contained herein, whether as a result of any new information, future events, changed circumstances or otherwise. Although we believe the expectations reflected in such forward-looking statements are reasonable, we can give no assurance that such expectations will prove to be correct. Accordingly, readers are cautioned not to place undue reliance on these forward-looking statements.*

*For further information regarding the risks, uncertainties and other factors that may cause differences between SpringWorks' expectations and actual results, you should review the "Risk Factors" in Item 1A of Part I of SpringWorks' Quarterly Report on Form 10-Q for the quarter ended June 30, 2022, as well as discussions of potential risks, uncertainties and other important factors in SpringWorks' subsequent filings.*

###

## **Contacts**

Kim Diamond  
Vice President, Communications and Investor Relations  
Phone: 203-561-1646  
Email: kdiamond@springworkstx.com

Samantha Hilson Sandler  
Director, Investor Relations  
Phone: 203-461-5501  
Email: samantha.sandler@springworkstx.com

## **References**

<sup>1</sup> Kasper B, Baumgarten C, Garcia J, et al; Desmoid Working Group. An update on the management of sporadic desmoid-type fibromatosis: a European Consensus Initiative between Sarcoma PATients EuroNet (SPAEN) and European Organization for Research and Treatment of Cancer (EORTC)/Soft Tissue and Bone Sarcoma Group (STBSG). *Ann Oncol.* 2017;28(10):2399-2408.

<sup>2</sup> Penel N, Chibon F, Salas S. Adult desmoid tumors: biology, management and ongoing trials. *Curr Opin Oncol.* 2017;29(4):268-274.

<sup>3</sup> Xie Y, Xie K, Gou Q, He J, Zhong L, Wang Y. Recurrent desmoid tumor of the mediastinum: a case report. *Oncol Lett*. 2014;8(5):2276-2278.

<sup>4</sup> Skubitz KM. Biology and treatment of aggressive fibromatosis or desmoid tumor. *Mayo Clin Proc*. 2017;92(6):947-964.

<sup>5</sup> Joglekar SB, Rose PS, Sim F, Okuno S, Petersen I. Current perspectives on desmoid tumors: the Mayo Clinic approach. *Cancers (Basel)*. 2011;3(3):3143-3155.

<sup>6</sup> Penel N, Coindre JM, Bonvalot S, et al. Management of desmoid tumours: a nationwide survey of labelled reference centre networks in France. *Eur J Cancer*. 2016;58:90-96.

<sup>7</sup> van Broekhoven DLM, Grünhagen DJ, den Bakker MA, van Dalen T, Verhoef C. Time trends in the incidence and treatment of extra-abdominal and abdominal aggressive fibromatosis: a population-based study. *Ann Surg Oncol*. 2015;22(9):2817-2823.

<sup>8</sup> Anneberg M, Svane H, Fryzek J, et al. The Epidemiology of Desmoid Tumors in Denmark. *Cancer Epidemiology*. 2022; 77:1-7. doi.org/10.1016/j.canep.2022.102114.

<sup>9</sup> Orphanet Report Series: Rare Diseases collection. Prevalence and incidence of rare diseases: bibliographic data. Number 1, January 2022. Accessed April 28, 2022. [https://www.orpha.net/orphacom/cahiers/docs/GB/Prevalence\\_of\\_rare\\_diseases\\_by\\_alphabetical\\_list.pdf](https://www.orpha.net/orphacom/cahiers/docs/GB/Prevalence_of_rare_diseases_by_alphabetical_list.pdf).

<sup>10</sup> The Desmoid Tumor Working Group. The management of desmoid tumors: a joint global evidence-based consensus guideline approach for adult and pediatric patients. Accessed April 10, 2022. [https://dtrf.org/wp-content/uploads/2020/02/Desmoid\\_Paper\\_2018\\_A4\\_RL\\_Web300-1.pdf](https://dtrf.org/wp-content/uploads/2020/02/Desmoid_Paper_2018_A4_RL_Web300-1.pdf).